

Summary of Residents without water (1-6-11)

Name	Survey Summary	Hazardous Substances Present*	
1.	2 adults, 1 teenager, water buffalo (well disconnected) using donated bottled water for drinking. Delivery of water to buffalo discontinued by donor parties.	DEHP Glycols 2 Methoxyethanol Manganese	
2. Ex. 6 - Personal Privacy	2 adults, no children, water buffalo (well not being used) using donated bottled water for drinking. Delivery to water buffalo discontinued by donor parties	Arsenic	
3.	2 adults, no children, water buffalo (well not being used) using donated		
· ·	bottled water for drinking. Delivery to water buffalo discontinued by donor parties. Pumping water from the creek to the water buffalo	Arsenic Mangenese Sodium	
Ex. 6 - Personal Priva	4 adults, no children, water buffalo (well not being used) using donated bottled water for drinking.	Glycols 2 Methoxyethanol Arsenic Mangenese Sodium	
. 5.	3 adults, no children, not using water buffalo, using well water for everything but drinking and cooking buying their own bottled water for drinking and cooking. High sediment noted in their filter.	Arsenic Mangenese	

6.	2 adults, 2 teenagers, 3 children,	DEHP
	water buffalo (well not being used)	Arsenic
	using donated bottled water for	Mangenese
	drinking. Delivery to water buffalo	Sodium
	discontinued by donor parties.	
7.	Ex. 5 - Personal Privacy 2 adults, 1 senior, 1	Glycols
	adolescent, 1 child, 1 toddler, water	Arsenic
Ex. 6 - Personal Privacy	buffalo (well not being used) using	Mangenese
	donated bottled water for drinking.	_
	Delivery to water buffalo	
	discontinued by donor parties.	<u> </u>
8.	3 adults, 3 seniors, 2 toddlers,	DEHP
	water buffalo disconnected. Well	Arsenic
	back in use for non-potable uses.	Manganese
	Bottle water used for drinking and	Sodium
	cooking. Resident installed filter	
	system (not sure it is certified for	
	potential contaminants)	

^{*} Note, other chemicals of concern to ATSDR are present in all of these wells.

4.	4 adults, no	1) Glycols	1) 8000/30,000	1) ATSDR	1) 630J ug/L
	children, water		ug/L	Child/Adult	,
	buffalo (well not	2) 2-Methoxyethanol		Intermediate	2) 880J ug/L
	being used) using		2) None	EMEG	
	donated bottled	3) Arsenic	Established		3) 7.2B ug/L
	water for			2) None	
	drinking.	4) Mangenese	3) 3/10 ug/L	Established	4) 628 ug/L
	Delivery to water		i'		
	buffalo	5)Sodium	4) 50 ug/L	3) ATSDR	5) 82,900 ug/L
	discontinued by	·		Child/Adult	
	donor parties.		5) 20,000 ug/L	Chronic	
Ex. 6 - Personal Privacy				EMEG	
:					
		1 (14)		4) EPA SMCL	1 -
				5) EPA	
	•			Drinking	
				Water	
		12.4	1) 2/10 //	Advisory	1) 1 2 //
5.	3 adults, no	1) Arsenic	1) 3/10 ug/L	1) ATSDR	1) 1.3 ug/L
	children, not	2) Managana	2) 50/1	Child/Adult	2) 212/I
	using water	2) Mangenese	2) 50 ug/L	Chronic EMEG	2) 212 ug/L
	buffalo, using well water for			EMEG	
:	everything but	,		2) EPA SMCL	
	drinking and			2) EPA SMCL	
	cooking buying				
	their own bottled				
	water for drinking				
	and cooking.				
	High sediment				1
	noted in their				
	filter.				

DIM0185138 DIM0185140

		2 1 14 2	1) DEID	1) (00/0 000 /7	1) A TODD	1) 22 //
6.		2 adults, 2	1) DEHP	1) 600/2,000 ug/L	1) ATSDR	1) 22 ug/L
		teenagers, 3			Child/Adult	
		children, water	2) Arsenic	2) 3/10 ug/L	Chronic	2) 6.5 ug/L
		buffalo (well not			EMEG	
		being used) using	3) Mangenese	3) 50 ug/L		3) 669 ug/L
		donated bottled			2) ATSDR	
		water for	4) Sodium	4) 20,000 ug/L	Child/Adult	4) 131,000 ug/L
		drinking.		' ' '	Chronic	
		Delivery to water			EMEG	
		buffalo		ĺ		
	Ex. 6 - Personal Privacy	discontinued by			3) EPA SMCL	
	ZX. 0 1 CISONAT TIVACY	donor parties.	·		3) El II SIVICE	
		donor parties.			4) EPA	
ŀ			2 - 4 - 8		Drinking	
1		1	7.15	Ï	Water	. 4
1					1	
7			1) (1) (1)	1) 0000/00 000	Advisory	1) 0 400 7 /7
7.		Est Personal Privary — 2 adults,	1) Glycols	1) 8000/30,000	1) ATSDR	1) 3400J ug/L
		1 senior, 1		ug/L	Child/Adult	
'		adolescent, 1	2) Arsenic		Intermediate	2) 3.1 ug/L
		child, 1 toddler,		2) 3/10 ug/L	EMEG	
		water buffalo	3) Mangenese			3) 1360 ug/L
'	L	(well not being		3) 50 ug/L	2) ATSDR	
		used) using			Child/Adult	
		donated bottled			Chronic	
		water for			EMEG	
		drinking.				
		Delivery to water			3) EPA SMCL	
		buffalo			,	
		discontinued by				
		donor parties.				
	· · · · · · · · · · · · · · · · · · ·	dollor parties.	L	l	1	

DIM0185138 DIM0185141

8.	3 adults, 3	1)DEHP	1) 600/2,000 ug/L	1) ATSDR	1) 2.61 ug/L
	seniors, 2			Child/Adult	
Ex. 6 - Personal Privacy	toddlers, water	2)Arsenic	2) 3/10 ug/L	Chronic	2) 37 ug/L
	buffalo			EMEG	
	disconnected.	3)Manganese	3) 50 ug/L		3) 413 ug/L
	Well back in use			2) ATSDR	,
	for non-potable	4)Sodium	4) 20,000 ug/L	Child/Adult	4) 36,800 ug/L
	uses. Bottle			Chronic	
	water used for			EMEG	
	drinking and				
	cooking.			3) EPA SMCL	
	Resident installed				
	filter system (not	!	-	4) EPA	
	sure it is certified			Drinking	
	for potential			Water	
	contaminants)			Advisory	

^{*} Note, other chemicals of concern to ATSDR are present in all of these wells.

DIM0185138